

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|--------------------|------------------|
| - | 136 | 709/223.ccls. and @ad<20010406 and (port NEAR5 manag\$6) | USPAT; US-PGPUB | 2004/08/16 12:50 |
| - | 31 | 709/223.ccls. and @ad<20010406 and ((port NEAR5 manag\$6) SAME "IP") | USPAT; US-PGPUB | 2004/08/16 13:01 |
| - | 37 | (convert\$3 or reserv\$3 or assign\$3) NEAR5 (public NEAR4 "IP") and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 13:32 |
| - | 0 | (dyanamic NEAR3 port NEAR3 management) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 13:33 |
| - | 0 | (dyanamic NEAR6 port NEAR6 manag\$6) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 13:33 |
| - | 5 | ((replac\$5 or chang\$3 or new) NEAR4 port) SAME (application NEAR3 session) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 14:01 |
| - | 116 | ((replac\$5 or chang\$3 or new) NEAR4 port) SAME (session) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 14:25 |
| - | 23 | (dynamic NEAR6 port) SAME (session) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 14:37 |
| - | 8 | ((("5636216") or ("5793763") or ("5815664") or ("5835726") or ("6047325") or ("6055236") or ("6157636") or ("6175867"))).PN. | USPAT; US-PGPUB | 2004/08/19 14:19 |
| - | 5 | (network NEAR3 session NEAR3 manag\$5) SAME port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 14:50 |
| - | 141 | (network NEAR3 session NEAR3 manag\$5) AND port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 15:02 |
| - | 24194 | (assign\$5 or select\$3 or designat\$3) NEAR4 port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 15:09 |
| - | 11 | (assign\$5 or select\$3 or designat\$3) NEAR4 port SAME (application NEAR3 session) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 15:13 |
| - | 205 | (assign\$5 or select\$3 or designat\$3) NEAR4 port SAME (session) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 15:23 |
| - | 172 | ((assign\$5 or select\$3 or designat\$3) NEAR4 port SAME (session) and @ad<20010406) not (((replac\$5 or chang\$3 or new) NEAR4 port) SAME (session) and @ad<20010406) | USPAT; US-PGPUB | 2004/08/16 15:24 |
| - | 2 | NAT NEAR6 (chang\$3 or modify\$3 or replac\$3) NEAR3 port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 15:27 |
| - | 14 | session NEAR6 (chang\$3 or modify\$3 or replac\$3) NEAR3 port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 15:27 |
| - | 27 | NAT SAME (chang\$3 or modify\$3 or replac\$3) NEAR3 port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 15:33 |
| - | 1495 | (determin\$4 or decid\$3) NEAR6 (replac\$3 or chang\$3 or modify\$3 or switch\$3) NEAR5 port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 16:05 |
| - | 1814 | (determin\$4 or can or decid\$3) NEAR6 (replac\$3 or chang\$3 or modify\$3) NEAR5 port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 16:06 |
| - | 0 | (determin\$4 or decid\$3) NEAR6 (replac\$3 or chang\$3 or modify\$3) NEAR5 port SAME session and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 16:07 |
| - | 263 | (determin\$4 or decid\$3) NEAR6 (replac\$3 or chang\$3 or modify\$3) NEAR5 port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 16:10 |
| - | 33 | (application NEAR4 session) NEAR5 port and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 16:24 |
| - | 7 | ("4614841" "5224098" "5261051" "5265239" "5265261" "5425028" "5490256").PN. | USPAT | 2004/08/16 16:18 |
| - | 1 | 6249818.URPN. | USPAT | 2004/08/16 16:19 |
| - | 1 | driver NEAR4 (socket NEAR4 session) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 16:26 |
| - | 29 | port SAME (socket NEAR4 session) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 16:26 |
| - | 1204 | 370/389.ccls. and @ad<20010406 | USPAT; US-PGPUB | 2004/08/16 16:26 |
| - | 181 | (370/389.ccls. and @ad<20010406) and ((assign\$4 or replac\$4 or chang\$4 or modify\$4) NEAR4 port) | USPAT; US-PGPUB | 2004/08/16 16:27 |

Best Available Copy

8/20/04

| | | | | |
|---|------|--|--------------------|------------------|
| - | 179 | ((370/389.ccls. and @ad<20010406) and ((assign\$4 or replac\$4 or chang\$4 or modify\$4) NEAR4 port)) not (((assign\$5 or select\$3 or designat\$3) NEAR4 port SAME (session) and @ad<20010406) not (((replac\$5 or chang\$3 or new) NEAR4 port) SAME (session) and @ad<20010406)) | USPAT; US-PGPUB | 2004/08/16 16:27 |
| - | 41 | (370/389.ccls. and @ad<20010406) and ((socket or session) NEAR7 port) | USPAT; US-PGPUB | 2004/08/17 08:26 |
| - | 24 | (370/392.ccls. and @ad<20010406) and ((socket or session) NEAR7 port) | USPAT; US-PGPUB | 2004/08/17 09:03 |
| - | 55 | "NAPT" and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 09:32 |
| - | 1591 | (mark or indicat\$3 or flag) SAME ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 09:42 |
| - | 406 | (mark or indicat\$3 or flag) NEAR6 ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 09:35 |
| - | 161 | (mark or indicat\$3 or flag) NEAR3 ((chang\$3 or modify\$3 or replac\$3) NEAR3 port) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 09:34 |
| - | 5 | (mark or indicat\$3 or flag) NEAR6 ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) SAME session and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 09:36 |
| - | 15 | (mark or indicat\$3 or flag) SAME ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) SAME session and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 09:45 |
| - | 10 | ((mark or indicat\$3 or flag) SAME ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) SAME session and @ad<20010406) not ((mark or indicat\$3 or flag) NEAR6 ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) SAME session and @ad<20010406) | USPAT; US-PGPUB | 2004/08/17 09:46 |
| - | 1001 | port NEAR3 flag and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 09:48 |
| - | 972 | (port NEAR3 flag and @ad<20010406) and (chang\$4 or modify\$3 or alter\$3 or replac\$4 or new) | USPAT; US-PGPUB | 2004/08/17 09:48 |
| - | 158 | (port NEAR3 flag) SAME (chang\$4 or modify\$3 or alter\$3 or replac\$4 or new) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 09:53 |
| - | 23 | (port NEAR3 flag) SAME ((chang\$4 or modify\$3 or alter\$3 or replac\$4 or new) NEAR4 (address or value or number)) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:01 |
| - | 359 | detect\$3 NEAR5 port NEAR3 (chang\$3 or modify\$4 or replac\$4) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:03 |
| - | 0 | detect\$3 NEAR5 port NEAR3 (replaceable) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:02 |
| - | 5 | detect\$3 NEAR5 port NEAR8 (replaceable) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:03 |
| - | 1 | detect\$3 NEAR5 port NEAR3 (changeable or modifiable or replaceable or alterable) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:04 |
| - | 6 | detect\$3 NEAR5 port NEAR8 (changeable or modifiable or replaceable or alterable) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:05 |
| - | 119 | detect\$3 NEAR5 port NEAR8 (changed or modified or replaced or altered) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:05 |
| - | 86 | detect\$3 NEAR5 port NEAR4 (changed or modified or replaced or altered) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:12 |
| - | 998 | can NEAR5 port NEAR4 (changed or modified or replaced or altered) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:13 |
| - | 152 | (flag or mark or indicat\$4) NEAR5 port NEAR4 (changed or modified or replaced or altered) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:21 |
| - | 19 | (flag or mark or indicat\$4) NEAR5 socket NEAR4 (changed or modified or replaced or altered) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:23 |

| | | | | |
|---|------|--|---|------------------|
| - | 0 | (flag or mark or indicat\$4) NEAR5 socket NEAR4 ("can be" NEAR3 (chang\$3 or modify\$4 or alter\$3 or replac\$3)) and @ad<20010406 | USPAT; US-PGPUB | 2004/08/17 10:50 |
| - | 1319 | (detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR5 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 10:54 |
| - | 0 | (detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR5 ((port or socket) SAME (session)) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 10:56 |
| - | 6 | (detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR5 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$5) SAME session | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 10:57 |
| - | 8 | (detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR10 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$5) SAME session | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 10:58 |
| - | 2 | ((detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR10 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$5) SAME session) not ((detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR5 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$5) SAME session) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 10:59 |
| - | 9 | (extact\$3 or remov\$3) NEAR8 address NEAR8 (data NEAR4 segment) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:02 |
| - | 19 | (destination NEAR3 address) SAME ((data adj2 segment) NEAR4 packet) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:09 |
| - | 143 | (extract\$3 or remov\$3 or obtain\$3) NEAR6 ((network or destination or IP) NEAR2 address) NEAR6 (data NEAR5 packet) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:10 |
| - | 34 | (extract\$3 or remov\$3 or obtain\$3) NEAR6 ((network or destination or IP) NEAR2 address) NEAR6 (data NEAR5 (portion or segment or field)) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:20 |
| - | 16 | ((both or two or multiple) NEAR3 session NEAR8 "same" NEAR7 (address or port)) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:27 |
| - | 241 | (client NEAR5 shar\$4 NEAR6 (session or address or port)) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:28 |
| - | 1 | (client NEAR5 session NEAR5 shar\$4 NEAR6 (address or port)) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:28 |
| - | 5 | (client NEAR5 shar\$4 NEAR6 (address or port) SAME session) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:30 |

| | | | | |
|---|-----|--|---|------------------|
| - | 155 | (shar\$4 NEAR6 (address or port) SAME session) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:30 |
| - | 44 | (session NEAR6 shar\$4 NEAR6 (address or port)) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:41 |
| - | 12 | (session SAME (shar\$4 NEAR6 ((network or IP) NEAR3 address) NEAR5 port)) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:48 |
| - | 146 | (manag\$4 or schedul\$3 or reconcil\$5 or resolv\$4) NEAR8 (application NEAR2 session) and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:49 |
| - | 1 | ((manag\$4 or schedul\$3 or reconcil\$5 or resolv\$4) NEAR8 (application NEAR2 session)) SAME ((IP or network) adj2 address) and port and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:51 |
| - | 72 | ((manag\$4 or schedul\$3 or reconcil\$5 or resolv\$4) NEAR8 session) SAME ((IP or network) adj2 address) and port and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:52 |
| - | 23 | ((manag\$4 or schedul\$3 or reconcil\$5 or resolv\$4) NEAR8 session) NEAR9 ((IP or network) adj2 address) and port and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:58 |
| - | 692 | shar\$3 NEAR3 session and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 11:59 |
| - | 80 | (shar\$3 or divid\$4 or split) NEAR3 (application NEAR3 session) and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 12:05 |
| - | 609 | (shar\$3 or divid\$4 or split) NEAR3 ((network or IP) NERA2 address) NEAR6 port and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 12:06 |
| - | 400 | (shar\$3) NEAR3 ((network or IP) NERA2 address) NEAR6 port and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 12:16 |
| - | 3 | session NEAR6 ((shar\$3) NEAR3 ((network or IP) NERA2 address) NEAR6 port) and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 12:15 |
| - | 78 | (shar\$3) NEAR3 ((network or IP) NERA2 address) NEAR6 port and session and @ad<20010405 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/17 12:16 |
| - | 6 | (NAT or NAPT or PAT) SAME (duplicat\$6 NEAR4 port) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 14:29 |

| | | | | |
|---|-------|---|---|------------------|
| - | 553 | (duplicat\$6 NEAR4 port) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 14:30 |
| - | 13 | intelligent NEAR8 (port NEAR4 (allocat\$5 or assign\$5 or manag\$7)) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 14:30 |
| - | 5 | (duplicat\$6 NEAR4 port) SAME (session or socket) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 16:01 |
| - | 28547 | (shar\$4 or duplicat\$4 or "same") NEAR4 port and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 16:05 |
| - | 17771 | ((shar\$4 or duplicat\$4 or "same") NEAR4 port and @ad<20010406) and (session or application) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 16:04 |
| - | 1195 | ((shar\$4 or duplicat\$4 or "same") NEAR4 port and @ad<20010406) and session | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 16:04 |
| - | 4547 | (shar\$4 or duplicat\$4) NEAR4 port and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 16:05 |
| - | 417 | ((shar\$4 or duplicat\$4) NEAR4 port and @ad<20010406) and session | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 16:05 |
| - | 64 | ((shar\$4 or duplicat\$4) NEAR4 port) SAME session and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/19 16:20 |
| - | 119 | (application NEAR4 "same" NEAR4 port) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 08:28 |
| - | 4 | ((("6157950") or ("6470027") or ("6496866") or ("6449251")).PN. | USPAT; US-PGPUB | 2004/08/19 16:55 |
| - | 29 | (session NEAR4 "same" NEAR4 port) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 10:04 |
| - | 7 | duplicat\$4 NEAR6 port NEAR3 "IP" and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 10:07 |
| - | 1310 | select\$5 NEAR6 (port NEAR5 (replac\$4 or modify\$4 or chang\$4 or \$2assign\$6)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 10:08 |
| - | 597 | select\$5 NEAR3 (port NEAR3 (replac\$4 or modify\$4 or chang\$4 or assign\$6 or reassign\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 10:09 |

| | | | | |
|---|------|---|---|------------------|
| - | 96 | selectively NEAR3 (port NEAR3 (replac\$4 or modify\$4 or chang\$4 or assign\$6 or reassign\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 10:12 |
| - | 74 | session NEAR4 (port NEAR3 (replac\$4 or modify\$4 or chang\$4 or assign\$6 or reassign\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 10:36 |
| - | 1013 | 709/227.ccls. and port | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 10:37 |
| - | 152 | 709/227.ccls. and (port NEAR5 (replac\$4 or modify\$4 or chang\$4 or \$2assign\$6)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 11:20 |
| - | 227 | borella.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 11:21 |
| - | 38 | borella.in. and port | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/20 11:21 |